## **COA REPORT**

**Contact Role** 

NORDIC NORDIC-EL Site

Report reference 31341770-0 Page 1/1

Cancel and replace COA report

26/08/2025 Sent Contact person Customer service 15/08/2025 Date received

Purchase order

Nordic Oil Bonnestraat 31 6781 XN Ede Netherlands





Visit address: Nordic Oil

Bonnestraat 31. 6781 XN Ede Netherlands

## Lab ID 37782021 / Label ID WEB000003540350

## SAMPLE DESCRIPTION Information in *italics* is provided by the client.

**VOEDINGSSUPPLEMENT** Product

Project NORDIC-EDE-250013 Additional information Ashwagandha caps

Sample taken by Client

**Condition received** Not cooled sample date and time 15/08/2025 **Packaging condition** Unopened 15/08/2025 Sampling according to Customer sampling plan Acceptance date

COA REPORT					
	Analyse, Methode, Started date		Results	Units	Reference values
Q	Shiga toxin producing E. coli (STEC) screening ISO/TS 13136 (MicroVal 2018LR84)	18/08/2025			
stx			<del>-</del>		
	eae Shiga toxine producerende E. coli (STEC) screening		Not detected; stx-, eae-	/25g	
Q	Enumeration of Aerobic mesophilic flora conform ISO 4833-1	18/08/2025	<100	cfu/g	
Q	Enumeration of presumptive Bacillus cereus conform ISO 7932	18/08/2025	<10	cfu/g	
Q	Enumeration of Enterobacteriaceae conform ISO 21528-2	18/08/2025	<10	cfu/g	
Q	Enumeration of Coagulase positive staphylococci conform ISO 6888-2	18/08/2025	<100	cfu/g	
Q	Enumeration of Yeasts and Moulds conform ISO 21527-1	18/08/2025			
ļ	Yeast		<100	cfu/g	
	Mould		<100	cfu/g	
	Enumeration of Clostridium perfringens Conform ISO 7937	18/08/2025	<10	cfu/g	
Q	Enumeration of ß-glucuronidase-positive Escherichia coli		<10	cfu/g	
L	conform ISO 16649-2	18/08/2025			
Q	<b>Enumeration of Listeria monocytogenes</b> equivalent to ISO 11290-2 (AES 10/05-09/06)	18/08/2025	<10	cfu/g	
Q	Detection of Salmonella Equivalent to ISO 6579-1:2017 (BIO 12/38-06/16)	18/08/2025	Not Detected	/25g	

Approved on 26/08/2025 **Operations Manager** Richard Jansen

An analysis marked with Q is accredited by the RvA under accreditation number L132. This COA results only cover the tested sample.

This COA report reproduction is only authorized with photographic facsimile.

The sample was taken under the responsibility of and supplied by the customer. The results refer only to the sample received.