

TEST REPORT 22-0147-CS-AC

Internal code *Codice interno*

22-0147-CS-AC

Sample delivery date *Data consegna campione*

25/03/2022

Sampling Procedure *Procedura campionamento*

Your operator *Vostro operatore*

Sample Description *Descrizione campione*

Freyja Treatment Cream

Sample unit *Unità campionaria*

1 sample 1 *campione*

Storage temperature *Temperatura di stoccaggio*

Room temperature (18° - 28°C) *Temperatura ambiente (18° - 28°C)*

Relative humidity *Umidità relativa*

na

Analytical method *Metodo analitico*

UHPLC DAD (D.M. 9/11/2015 and e UE 2016/2115)

(LOQ = 0.01% - LOD = 0.0085% all cannabinoids)

Determination required *Analisi richieste*

CBD, CBDA, Δ-9-THC, Δ-9-THCA, CBDV, CBG, CBN and e CBC


Date analysis *Data analisi*

26/03/2022

Date test report *Data rapporto*

28/03/2022

ANALYTE	Mass %w/w	Mass mg/g
CBD	0.517	5.173
CBDA	nd	nd
Δ-9-THC	nd	nd
Δ-9-THCA	nd	nd
CBDV	nd	nd
CBG	nd	nd
CBN	nd	nd
CBC	nd	nd
Total	0.517	5.173
Total CBD	0.517	5.173
Total Δ-9-THC	0.000	0.000



LEGEND *Legenda*

w/w = weight/weight *peso/peso* nd = not detectable *non detectabile* (LOQ) na = not applicable *non applicabile*

Total CBD = CBD + (CBDA*0.877) and e **Total Δ-9-THC** = Δ-9-THC + (Δ-9-THCA*0.877) calculated *calcolati*

Laboratory manager
Responsabile laboratorio



Daniele Savio
28.03.2022 16:49:51 GMT+00:00



QR Code

The laboratory operates in compliance with the UNI EN ISO 9001: 2015 standard. **The results contained in this Report refer exclusively to the Tested Sample.** The Laboratory declines all responsibility for the sampling methods when the sample as received by the client, therefore it does not assume any responsibility for the correspondence of the analysis results between the sample in question and the part from which it comes. Test report signed with digital signature pursuant to art. 20.21 n. 2 and 23 and 24 of the D.L. n. 82 7 March 2005 and subsequent amendments. We declare that all the sample supplied has been used for the analyzes.
Il laboratorio opera in conformità alla norma UNI EN ISO 9001: 2015. I risultati contenuti nel presente Rapporto sono riferiti esclusivamente al Campione sottoposto a prova. Il Laboratorio declina ogni responsabilità per le modalità di campionamento quando il campione così come ricevuto dal committente, pertanto non assume alcuna responsabilità circa la rispondenza degli esiti analitici tra il campione in oggetto e la partita dalla quale proviene. Rapporto di prova firmato con firma digitale ai sensi dell'art.20.21 n. 2 e 23 e 24 del D.L.n.82 7 marzo 2005 e successive modifiche. Si dichiara che tutto il campione fornito è stato utilizzato per le analisi.